

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	((heterogen\$5 or homogen\$7) near5 link\$1) and (referenc\$5 near5 integrit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:40
L2	51	(heterogen\$5 or homogen\$7) and (referenc\$5 near5 integrit\$5) and rdb\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:42
L3	52	(heterogen\$5 or homogen\$7) and (referenc\$5 near5 integrit\$5) and ((rdb\$3) or (relational near2 database near2 management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:40
L4	57	(multi-media or multimedia) and (referenc\$5 near5 integrit\$5) and ((rdb\$3) or (relational near2 database near2 management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:40
L5	6	((heterogen\$5 or homogen\$7) near5 link\$1) and (integrit\$4 near7 (referen\$6 or point\$4 ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:40
L6	3	(refer\$7 near7 integrit\$4) and ((homogen\$6 or heterogen\$6) near5 link\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:40
L7	0	(referential near3 integrit\$3) near5 homogeneous near4 link\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 09:40
L8	9936	((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:40
L9	16	(refer\$7 near5 integrit\$4) and ((link\$1 or point\$1) near5 single near5 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:41
L10	0	(referential\$3 near3 integrit\$3) near5 homogeneous near4 link\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 09:40

L11	20	((referenc\$5 near2 integrit\$5) ) and ( database\$1 near5 table\$3 near5 link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:47
L12	6	((heterogen\$5 ) near5 link\$1) and (((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:47
L13	18	((rdbms or (relational adj2 database adj2 management)) or rdbm) and ((referent\$4 or data) near5 integrit\$3) near5 link\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:49
L14	24	((referenc\$5 near2 integrit\$5) ) and ( database\$1 near5 link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:49
L15	6	((heterogen\$5 ) near5 link\$1) and (((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:49
S1	1107	rdbms	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 10:34
S2	1913	rdbms or (relational adj2 database adj2 management)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/06/28 14:04
S3	23	dangling near3 pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/06/28 14:20
S4	624	referenc\$5 near5 integrit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/06/28 14:25
S5	197	referenc\$5 near2 integrit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/06/28 14:26

S6	2	((heterogen\$5 or homogen\$7) near5 link\$1) and (referenc\$5 near5 integrit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:40
S7	12	(heterogen\$5 or homogen\$7) and (referenc\$5 near5 integrit\$5) and rdb\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:40
S8	12	(heterogen\$5 or homogen\$7) and (referenc\$5 near5 integrit\$5) and ((rdb\$3) or (relational near2 database near2 management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:40
S9	13	(multi-media or multimedia) and (referenc\$5 near5 integrit\$5) and ((rdb\$3) or (relational near2 database near2 management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:40
S10	2	((heterogen\$5 or homogen\$7) near5 link\$1) and (integrit\$4 near7 (referen\$6 or point\$4 ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:40
S11	3	(heterogen\$5 and homogen\$7) near5 link\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/31 13:26
S12	1941	refer\$7 near7 integrit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/31 14:02
S13	2	(refer\$7 near7 integrit\$4) and ((homogen\$6 or heterogen\$6) near5 link\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:40
S14	2	(refer\$7 near7 integrit\$4) and ((homogen\$6 or heterogen\$6) near5 point\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/31 14:08
S15	2	(refer\$7 near7 integrit\$4) and (homogen\$6 near5 link\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/31 14:10

S16	2	(refer\$7 near7 integrit\$4) and (homogen\$6 same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/31 14:12
S17	25	(refer\$7 near7 integrit\$4) and (hetero\$8 same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/31 14:14
S18	0	((refer\$7 near7 integrit\$4) and homogen\$6) and (link\$1 same rdb s )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/11/01 09:44
S19	0	(refer\$7 near7 integrit\$4) same (homogen\$6 near5 link\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/01 09:46
S20	200	(refer\$7 near7 integrit\$4) and homogen\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/01 09:53
S21	1566	refer\$7 near5 integrit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/01 10:22
S22	2	(refer\$7 near5 integrit\$4) and (homogen\$6 near5 link\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/01 09:55
S23	1	(refer\$7 near5 integrit\$4) and (homogen\$6 near5 point\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/01 09:57
S24	2	(refer\$7 near5 integrit\$4) and (homogen\$6 near5 database\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/01 09:57
S25	258	(heterogen\$5 or homogen\$7) near5 link\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/01 10:01

S26	2	(( homogen\$7) near5 link\$1) and (referenc\$5 near5 integrit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/01 10:16
S27	7	(homogen\$7) and (referenc\$5 near5 integrit\$5) and rdb\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/01 10:21
S28	6	(refer\$7 near5 integrit\$4) and ((link\$1 or point\$1) near5 single near5 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:40
S29	382	hsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/01 10:33
S30	830	rdb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/01 10:33
S31	0	hsl and rdb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/01 10:33
S32	31	rdbs	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/01 10:33
S33	0	rdbs and hsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/01 10:33
S34	0	(referential near3 integrit\$3) near5 homogeneous near4 link\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 09:40
S35	587	(referential near3 integrit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:27

S36	0	(referential near3 integrit\$3) same (homogeneous near5 link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:24
S37	0	(referential near3 integrit\$3) same (homogenous near5 link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:24
S38	146	(homogenous near5 link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:31
S39	0	((referential near3 integrit\$3) ) and ((homogenous near5 link\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:25
S40	43936	((referential near3 integrit\$3) or RI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:26
S41	43936	((referential near3 integrit\$3) or "RI")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:27
S42	587	(referent\$4 near3 integrit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:27
S43	587	(referent\$5 near3 integrit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:28
S44	13877	((referent\$5 or data) near3 integrit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:29
S45	0	((referent\$5 or data) near3 integrit\$3) ) same ((homogenous near5 link\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:29

S46	1	((referent\$5 or data) near3 integrit\$3 ) and ((homogenous near5 link\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:29
S47	0	((referent\$5 or data) near3 integrit\$3 ) same ((heterogenous near5 link\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:31
S48	1	((referent\$5 or data) near3 integrit\$3 ) and ((heterogenous near5 link\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:34
S49	1819	rdbm or rdbms	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:35
S50	5879	((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:40
S51	35	(heterogenous near5 link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/02 10:37
S52	2924	(rdbms or (relational adj2 database adj2 management)) or rdbm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 09:16
S53	16	((rdbms or (relational adj2 database adj2 management)) or rdbm) and ((referent\$4 or data) near5 integrit\$3) near5 link\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:49
S54	3	((rdbms or (relational adj2 database adj2 management)) or rdbm) and ((referent\$4 or data) near5 integrit\$3) near5 link\$3) and (homogen\$6 or heterogen\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 09:28
S55	2	"6449619".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 09:32

S56	0	"6449619".pn. and (heterogen\$4 near\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 09:33
S57	2	"6449619".pn. and (heterogen\$4 near\$ data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 09:33
S58	0	"6449619".pn. and (heterogen\$4 same link\$3 or point\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 09:34
S59	0	"6449619".pn. and (heterogen\$4 same (link\$3 or point\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 09:34
S60	31	(heterogen\$5 or homogen\$7) and (referenc\$5 near\$5 integrit\$5)and rdb\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 10:00
S61	18	(heterogen\$5 and homogen\$7) and (referenc\$5 near\$5 integrit\$5)and rdb\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 10:00
S62	1981	(link\$3 or point\$3) near\$5 (multipl\$4 or heterogen\$6 or imag\$3 or target\$3) near\$5 table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 10:31
S63	29	((link\$3 or point\$3) near\$5 (multipl\$4 or heterogen\$6 or imag\$3 or target\$3) near\$5 table\$1) and (referential near\$3 integrit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 10:39
S64	4	separate near\$5 (referential near\$3 integrit\$4) near\$5 table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 10:48
S65	0	"5991776".pn. and (separate near\$5 (referential near\$3 integrit\$4) near\$5 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 10:49



S66	0	"5991776".pn. and (separate same (referential near3 integrit\$4) near5 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 10:49
S67	0	"5991776".pn. and (separate same (referential near3 integrit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 10:50
S68	0	"5991776".pn. and (separate same (referential near5 integrit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 10:51
S69	2	"5991776".pn. and (separate same table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 10:50
S70	0	"5991776".pn. and (separate same (referential same integrit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 11:13
S71	10	separate same (referential near5 integrit\$4)near5 table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 16:19
S72	1	"6112209".pn. and (integrit\$3 same table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 16:19
S73	3	((((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2) and (dangling near3 pointer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 10:16
S74	68	(referenc\$5 near5 integrit\$5) and (((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 09:42
S75	5	((heterogen\$5 or homogen\$7) near5 link\$1) and (((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:49

S76	68	((referenc\$5 near5 integrit\$5) and (((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2)) and "5"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 09:48
S77	0	((referenc\$5 near5 integrit\$5) and (((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2)) and (((heterogen\$5 or homogen\$7) near5 link\$1) and (((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 09:48
S78	25	(referenc\$5 near2 integrit\$5) and (((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 10:04
S79	25	((referenc\$5 near5 integrit\$5) and (((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2)) and ((referenc\$5 near2 integrit\$5) and (((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 09:48
S80	0	((heterogen\$5 or homogen\$7) near5 link\$1) and (((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2)) and (referenc\$5 near2 integrit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 10:04
S81	258	(referenc\$5 near2 integrit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 10:10
S82	15	( (referenc\$5 near2 integrit\$5) ) same (link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 10:11
S83	10	((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2) and (dangling near3 point\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 10:17
S84	10	((rdbms or (relational adj2 database adj2 management)) or rdbm) or db2) and (dangl\$3 near3 point\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 10:20

S85	0	( (referenc\$5 near2 integrit\$5) ) and ((verif\$4 check\$3) near5 tbalet\$3 near5 link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 10:21
S86	0	( (referenc\$5 near2 integrit\$5) ) and ((verif\$4 check\$3) near5 table\$3 near5 link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 10:21
S87	13	( (referenc\$5 near2 integrit\$5) ) and ( database\$1 near5 table\$3 near5 link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:47
S88	13	( (referenc\$5 near2 integrit\$5) ) and ( database\$1 near5 link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:49
S89	198668	database\$1 near5 link\$3 integrit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 10:27
S90	17	database\$1 near5 link\$3 near5 integrit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 10:32
S91	97	database\$1 near5 table\$3 near5 integrit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 10:32
S92	1	"5511186".pn. and (link\$4 near5 table\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 09:17
S93	1	"5511186".pn. and (link\$4 near10 table\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 09:17
S94	2054	rdbm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 09:48

S95	0	rdbm and (trigger same disallow\$4 near10 operation\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 09:45
S96	0	rdbm and (trigger\$3 same disallow\$4 near10 operation\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 09:49
S97	3	rdbm and (disallow\$4 near10 operation\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 09:48
S98	3536	rdb\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 09:49
S99	0	rdb\$4 and (trigger\$3 same disallow\$4 near10 operation\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 09:49
S10 0	0	rdb\$4 and (trigger\$4 same disallow\$4 near10 operation\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 09:49
S10 1	7	rdb\$4 and ( disallow\$4 near10 operation\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 09:49
S10 2	24	grey\$4 near4 out\$3 near5 button\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 10:31
S10 3	2	"5787428".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:11
S10 4	2	"5483596".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:12

S10 5	0	"56308173".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:12
S10 6	2	"6308173".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:14
S10 7	2	"6144959".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:15
S10 8	2	"6249873".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:18
S10 9	2	"6275824".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:19
S11 0	2	"5553218".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:23
S11 1	2	"5630127".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:25
S11 2	2	"5734899".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:26
S11 3	2	"5826268".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:28
S11 4	2	"6308563".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:28

S11 5	2	"6038563".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:44
S11 6	2	"5937402".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:55
S11 7	2	"6085031".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:58
S11 8	2	"6154741".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:57
S11 9	2	"6437748".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:58
S12 0	2	"6473748".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:59
S12 1	0	"65615112".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 10:59
S12 2	2	"5615112".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 11:00
S12 3	2	"5664770".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 11:01
S12 4	2	"5644770".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 11:03

S12 5	0	"56151623".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 11:03
S12 6	2	"6151623".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 11:04
S12 7	2	"5978881".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 11:04
S12 8	2	"5978811".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 11:05
S12 9	0	"56835730".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 11:05
S13 0	2	"5385730".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 11:05
S13 1	2	"6385730".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 16:32
S13 2	2	"6502092".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 16:34
S13 3	2	"6098075".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 16:37
S13 4	0	"6745896".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 16:37

S13 5	2	"5745896".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 16:38
S13 6	2	"5499359".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/12 16:38
S13 7	8	"686487"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 10:38
S13 8	2	"6581060".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 10:37
S13 9	2	"6581060".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 10:40